



SLIDING PLATE WITH INTEGRATED SLIDE RETAINER



CODE: **PRI..**



K= MAXIMUM LOAD

CODE	A	B	C	D	E	F	G	H	L	M	N	P	Q	R	K
PRI2060	20	60	11,5	44	8	M6 (2)	9	10,5	5	14	14	1	6	7,5	10Kg
PRI2080	20	80	11,5	60	16	M6 (2)	9	10,5	5	14	14	1	6	7,5	10Kg
PRI20100	20	100	11,5	80	26	M6 (3)	20	10,5	5	14	14	1	6	7,5	10Kg
PRI20120	20	120	11,5	100	36	M6 (3)	25	10,5	5	14	14	1	6	7,5	10Kg

CODE	A	B	C	D	E	F	G	H	L	M	N	P	Q	R	K
PRI30100	30	100	14,5	76	20	M8 (2)	10	12,5	6	16	14	1,5	8	10	20Kg
PRI30120	30	120	14,5	92	28	M8 (2)	10	12,5	6	16	14	1,5	8	10	20Kg
PRI30140	30	140	14,5	112	38	M8 (3)	28	12,5	6	16	14	1,5	8	10	20Kg
PRI30160	30	160	14,5	132	48	M8 (3)	33	12,5	6	16	14	1,5	8	10	20Kg

CODE	A	B	C	D	E	F	G	H	L	M	N	P	Q	R	K
PRI40120	40	120	19,5	88	22	M10 (2)	14	18,5	8	22	18	2	12	14	50Kg
PRI40140	40	140	19,5	104	30	M10 (2)	14	18,5	8	22	18	2	12	14	50Kg
PRI40160	40	160	19,5	124	40	M10 (3)	31	18,5	8	22	18	2	12	14	50Kg
PRI40180	40	180	19,5	144	50	M10 (3)	36	18,5	8	22	18	2	12	14	50Kg

Mat.: Carbon steel. Hardness:430 HV05
Nitrided depth 0,3mm.

N.B.: Sliding plates code

PRI 20x60 / 20x80 - PRI 30x100 / 30x120 - PRI 40x120 / 40x140 are not provided with central screw

CHARACTERISTICS

- 1) LOW FRICTION BETWEEN SLIDING ELEMENTS;
- 2) HIGH LOAD CAPACITY;
- 3) SMALL ENCUMBRANCE .

ERMANN BALZI